



09/368670

C of 9

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No. : 6,767,991 B1
Dated : 07/27/2004
Inventors : Llinas-Brunet, et al
For : Hepatitis C Inhibitor Peptides
Docket No. : 13/063-2-C2

Certificate

FEB 06 2006

of Correction

Attention: Certificate of Corrections Branch
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

Sir:

The undersigned attorney for both the patentees and the assignee of the above-captioned patent hereby requests that a certificate of correction be issued for the above-captioned patent, under 35 U.S.C. § 254 and 255 and 37 CFR § 1.322 and 1.323.

The Commissioner is hereby authorized to charge the fee (\$100) required for this submission under 37 CFR 1.20(a), and any additional fee that might be required for this submission, to Deposit Account No. 02-2955.

The requested corrections are as follows:

On the front page under "Related U.S. Application Data", Section (63), delete "Continuation of application No. 09/219,939" and replace with: --Continuation-in-part of Application No. 09/219,939--.

In column 1, line 3, delete "continuation" and replace with -- CIP --.


In column 1, line 4, delete "and" and replace with -- which is --.

In column 221, (in Claim 78) delete

"

906

H



02/03/2006 MWOLDGE1 00000086 022955 6767991

01 FC:1811 100.00 DA

FEB 07 2006

Request for Certificate of Correction
US 6,767,991

The correction relating to the recitation of the continuity data in the issued patent is to correct an Office mistake. Applicants filed an amendment to the specification on May 19, 2000, to clearly recite that the instant application (that issued as US 6,767,991 B1) is a continuation-in-part of U.S. Application No. 09/219,939, but the issued patent failed cite this relationship correctly. Thus, this mistake in the printed patent is clearly evident from the records of the Office.

The correction relating to the deletion of Compound No. 906 of issued Claim 78 relates to an inadvertent oversight by the Applicants during prosecution. In the Amendment filed on May 31, 2001, Applicants intended to amend the claims to delete all of those compounds wherein B is hydrogen in order to avoid possible overlap with a co-pending application (Application No. 09/368,866, filed August 5, 1999; which has since issued as U.S. 6,323,180 B1). This intention was clearly stated in the first paragraph on page 30 of said Amendment, reproduced below:

“The claims have been amended to delete those compounds wherein B is hydrogen, in order to avoid any possible overlap with the subject matter being claimed in Applicants’ copending application Serial No. 09/368,866, filed August 5, 1999 (Attorney Docket No. 13/068).”

By an inadvertent mistake made in good faith, Applicants failed to delete Compound No. 906 of original claim 80 (issued as Claim 78), which requires that B is hydrogen and therefore should have been deleted in said Amendment. Applicants therefore now delete this compound in order to give full effect to, and be consistent with, the intention stated in said Amendment. Applicants submit that this was an inadvertent mistake made in good faith, and the correction thereof to delete this compound would not constitute new matter or require any reexamination of the patent.

A Certificate Of Correction (Form PTO 1050), showing the requested corrections is enclosed herewith.

Respectfully submitted,



Philip I. Datlow
Attorney for Applicant(s)
Reg. No. 41,482

Request for Certificate of Correction
US 6,767,991

Patent Department
Boehringer Ingelheim Corp.
900 Ridgebury Road, P.O. Box 368
Ridgefield, CT 06877
Tel: (203) 798-4542
Date: January 31, 2006

Certificate of Mailing

I hereby certify that this correspondence is being deposited
with the U.S. Postal Service with sufficient postage as first
class mail in an envelope addressed to:

Commissioner For Patents
P. O. Box 1450
Alexandria, VA 22313-1450

on January 31, 2006.



Philip I. Datlow, Reg. No. 41,482

FEB 07 2006

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,767,991 B1

APPLICATION NO.: 09/368,670

ISSUE DATE : 07/27/2004

INVENTOR(S) : Montse LLINAS-BRUNET, Murray D. BAILEY, Dale CAMERON, Elise GHIRO, Nathalie GOUDREAU, Marc-André POUPART, Jean RANCOURT, Youla S. TSANTRIZOS, Bruno SIMONEAU, Dominik M. WERNIC

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the front page under "Related U.S. Application Data", Section (63), delete "Continuation of application No. 09/219,939" and replace with: --Continuation-in-part of Application No. 09/219,939--.

In column 1, line 3, delete "continuation" and replace with -- CIP --.


In column 1, line 4, delete "and" and replace with -- which is --.

In column 221, (in Claim 78) delete

"

906

H



MAILING ADDRESS OF SENDER (Please do not use customer number below):

Michael P. Morris, Esq.
Boehringer Ingelheim Corporation
900 Ridgebury Road, P. O. Box 368
Ridgefield, CT 06877-0368

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.